



CLARIFICATION "SET 3"

20th August, 2021

**TENDER NO. KRA/HQS/NCB-069/2020-2021: PROVISION FOR
UPGRADE OF DATABASES HARDWARE AND CONSOLIDATION OF DATABASE
LICENSES**

Kenya Revenue Authority wishes to inform prospective bidders of the clarifications/addendums highlighted below:

No	Query reference from Tender	Customer Requirement	Bidders Questions	KRA's Response
1	KRA/HQS/NCB-069/2020-2021 page: 64	Processor :- Dual Socket Intel® Xeon® Gold6244 Processor (24.75 MB Cache, 3.60 GHz) , scalable up to four processors	Currently the number of Processor cores is different in Primary and DR. Will KRA like to have same Processor cores both in PR & DR site servers? If KRA want to do the full DB failover to DR, it will be better to have same number of cores in DR matching that of PR. These cores can be restricted to match and regulate the software licensing requirements and can be unrestricted to scale up in future. Request clarification on this	Table 1.2 Clause 4 page 61 has been amended as follows "Processor Cores from 16 cores per server to 36 cores per server" so as to match core counts in the DR and primary data center

The Clarification form part of the bidding document and is binding to the bidder. All other terms and conditions of the tender remain the same. You are therefore required to immediately acknowledge the receipt of this addendum.

Regards,

Benson Kiruja

For: Deputy Commissioner - Supply Chain Management

Cww